

Technical Data Sheet

Item

Name	Dry Chrome Tanning Agent
Synonyms	Basic Chrome Sulphate
Cas number	12336-95-7

Application

Leather Industry, Fur Industry

Packaging

25 kg bags

Specifications

Parameter	Specification
Chrome calculated as Cr ₂ O ₃ , %, Min	25
Basicity, in range	40+/-1
Water insoluble residue, %, Max	0,1
Water solubility at 20-25 °C, Min	99
Iron calculated as FeO, %, Max	0.03
pH of 2% solution, in range	3,0 ± 0,3
Hexavalent Chromium (Cr VI+), ppm	Not Detected